VPCEH Series

SERVICE MANUAL

Ver 1-2011E

Revision History

Model List

Sony Confidential

- Design and specifications are subject to change without notice.
- 本機の仕様および外観は、改良のため予告なく変更することがありますが、ご了承ください。

PERSONAL COMPUTER

SONY

9-890-843-01

Information in this document is subject to change without notice.

Sony, VAIO and CLIE are trademarks or registered trademarks of Sony. Microsoft, Windows, Windows Media, Outlook, Bookshelf and other Microsoft products are trademarks or registered trademarks of Microsoft Corporation in the United States and other countries. The word Bluetooth and the Bluetooth logo are trademarks of Bluetooth SIG, Inc. AMD, the AMD logo, other AMD product names and combinations thereof are trademarks of Advanced Micro Devices, Inc. Intel Inside logo, Pentium, Celeron and Core are trademarks or registered trademarks of Intel Corporation. Transmeta, the Transmeta logo, Crusoe Processor, the Crusoe logo and combinations thereof are trademarks of Transmeta Corporation in the USA and other countries. Graffiti, HotSync, PalmModem, and Palm OS are registered trademarks, and the Hotsync logo and Palm are trademarks of Palm, Inc. or its subsidiaries. (M) and Motrola are trademarks of Motrora, Inc. Other Motrola products and services with (R) mark like Dragonball are the trademarks of Motrola, Inc.

All other names of systems, products and services in this manual are trademarks or registered trademarks of their respective owners. In this manual, the (TM) or (R) mark are not specified.

Caution Markings for Lithium/Ion Battery - The following or similar texts shall be provided on battery pack of equipment or in both the operating and the service instructions.

CAUTION: Danger of explosion if battery is incorrectly replaced. Replace only with the same or equivalent type recommended by the manufacturer. Discard used batteries according to the manufacturer's instructions.

CAUTION: The battery pack used in this device may present a fire or chemical burn hazard if mistreated. Do not disassemble, heat above 60°C (140°F) or incinerate. Dispose of used battery promptly. Keep away from children.

CAUTION: Changing the back up battery.

- Overcharging, short circuiting, reverse charging, multilation or incineration of the cells must be avoided to prevent one or more of the following occurrences; release of toxic materials, release of hydrogen and/or oxygen gas, rise in surface temperature.
- If a cell has leaked or vented, it should be replaced immediately while avoiding to touch it without any protection.

The components identified by mark 🔒 contain confidential information.
Strictly follow the instructions whenever the components are repaired and/or replaced.

Service and Inspection Precautions

1. Obey precautionary markings and instructions

Labels and stamps on the cabinet, chassis, and components identify areas requiring special precautions. Be sure to observe these precautions, as well as all precautions listed in the operating manual and other associated documents.

2. Use designated parts only

The set's components possess important safety characteristics, such as noncombustibility and the ability to tolerate large voltages. Be sure that replacement parts possess the same safety characteristics as the originals. Also remember that the ⚠ mark, which appears in circuit diagrams and parts lists, denotes components that have particularly important safety functions; be extra sure to use only the designated components.

3. Always follow the original design when mounting parts and routing wires

The original layout includes various safety features, such as inclusion of insulating materials (tubes and tape) and the mounting of parts above the printer board. In addition, internal wiring has been routed and clamped so as to keep it away from hot or high-voltage parts. When mounting parts or routing wires, therefore, be sure to duplicate the original layout.

4. Inspect after completing service

After servicing, inspect to make sure that all screws, components, and wiring have been returned to their original condition. Also check the area around the repair location to ensure that repair work has caused no damage, and confirm safety.

5. When replacing chip components...

Never reuse components. Also remember that the negative side of tantalum capacitors is easily damaged by heat.

6. When handling flexible print boards...

- The temperature of the soldering-iron tip should be about 270°C.
- Do not apply the tip more than three times to the same pattern.
- Handle patterns with care; never apply force.

Caution: Remember that hard disk drives are easily damaged by vibration. Always handle with care.

ATTETION AU COMPOSANT AYANT RAPPORT À LA SÉCURITÉ!

LES COMPOSANTS IDENTIFÉS PAR UNE MARQUE ⚠ SUR LES DIAGRAMMES SCHÉMATIQUES ET LA LISTE DES PIÈCES SONT CRITIQUES POUR LA SÉCURITÉ DE FONCTIONNEMENT. NE REMPLACER CES COMPOSANTS QUE PAR DES PIÈSES SONY DONT LES NUMÉROS SONT DONNÉSDANS CE MANUEL OU DANS LES SUPPÉMENTS PUBLIÉS PAR SONY.

Model List

Area	Lineup
US (United States)	VPCEH11FX/B VPCEH11FX/L VPCEH11FX/P VPCEH11FX/W VPCEH12FX/B VPCEH12FX/L VPCEH12FX/P VPCEH12FX/W VPCEH13FX/B VPCEH13FX/L VPCEH13FX/P VPCEH13FX/W VPCEH14FM/B VPCEH14FM/L VPCEH14FM/P VPCEH14FM/W VPCEH15FX/B VPCEH15FX/L VPCEH15FX/P VPCEH15FX/W VPCEH16FX/B VPCEH16FX/L VPCEH16FX/P VPCEH16FX/W VPCEH17FX/B VPCEH17FX/L VPCEH17FX/P VPCEH17FX/W VPCEH18GM/B VPCEH190X* VPCEH1AFX/B

Area	Lineup
PA (Pan-America)	VPCEH10EB/W VPCEH13FD/B VPCEH13FD/W VPCEH15FD/B VPCEH15FD/L VPCEH15FD/P VPCEH15FD/W VPCEH17FD/B VPCEH17FD/L VPCEH17FD/P VPCEH17FD/W

Area	Lineup
EU (Europe)	VPCEH1C5E* VPCEH1E1E/B VPCEH1E1E/L VPCEH1E1E/W VPCEH1E1R/B VPCEH1E1R/W VPCEH1J1E/B VPCEH1J1E/L VPCEH1J1E/W VPCEH1J8E/B VPCEH1J8E/W VPCEH1L0E/B VPCEH1L0E/L VPCEH1L0E/W VPCEH1L1R/B VPCEH1L1R/L VPCEH1L1R/W VPCEH1L8E/B VPCEH1L8E/P VPCEH1L8E/W VPCEH1L9E/B VPCEH1M0E/L VPCEH1M1E/B VPCEH1M1E/L VPCEH1M1E/W VPCEH1M1R/B VPCEH1M1R/W VPCEH1M8E/B VPCEH1M8E/L VPCEH1M8E/W VPCEH1M9E/B VPCEH1M9R/B VPCEH1S0E/B VPCEH1S0E/L VPCEH1S0E/W VPCEH1S1E/B VPCEH1S1E/L VPCEH1S1E/W VPCEH1S1R/B VPCEH1S1R/W VPCEH1S8E/B VPCEH1S8E/W VPCEH1S9E/B VPCEH1Z1E/B VPCEH1Z1E/L VPCEH1Z1R/B VPCEH1Z8E/B VPCEH1Z8E/L

Area	Lineup
AP (Asia-Pacific)	VPCEH15EG/B VPCEH15EG/W VPCEH15EN/B VPCEH15EN/W VPCEH16EA/B VPCEH16EA/P VPCEH16EA/W VPCEH16EF/B VPCEH16EG/B VPCEH16EG/P VPCEH16EG/W VPCEH16EH/B VPCEH16EH/W VPCEH16EN/B VPCEH16EN/W VPCEH17FG/B VPCEH17FG/L VPCEH17FG/P VPCEH17FG/W VPCEH17FK/W VPCEH18FA/B VPCEH18FA/W VPCEH18FF/B VPCEH18FG/B VPCEH18FG/L VPCEH18FG/P VPCEH18FG/W VPCEH18FH/B VPCEH18FH/P VPCEH18FH/W VPCEH18FK/B VPCEH18FK/P VPCEH18FK/W VPCEH18FW/B VPCEH18FW/P VPCEH18FW/W

*: CTO Model

TABLE OF CONTENTS

Section	Title	Page
CHAPTER 1.	**BLOCK DIAGRAM**	1-1
		(to 1-1)
CHAPTER 2.	**FRAME HARNESS DIAGRAM**	2-1
		(to 2-1)
CHAPTER 3.	**EXPLODED VIEWS AND PARTS LIST**	
	Note	3-2
	Main Section	
	MS-1	3-3
	LCD	
	L-1	3-4
	Accessories	
	A-1	3-5
		(to 3-5)
CHAPTER 4.	**OTHERS**	
	4-1. Replacing the CPU	4-1
	4-2. Note for WiMAX Board Replacement	4-2
		(to 4-2)

- SPECIFICATIONS are listed on Page 3-1 of "CHAPTER 3. EXPLODED VIEWS AND PARTS LIST".
- History of the changes is shown as the"Revision History" at the end of this data.

- SPECIFICATIONSは、"CHAPTER 3. EXPLODED VIEWS AND PARTS LIST"の3-1ページに掲載されています。
- 変更履歴は、" Revision History " として、本データ末に記載してあります。

CHAPTER 1.
BLOCK DIAGRAM



Sony Confidential

CHAPTER 2.
FRAME HARNESS DIAGRAM



Sony Confidential

CHAPTER 3.
EXPLODED VIEWS AND PARTS LIST

- The exploded views and parts list are compiled by blocks.
  The sections are different depending on the model.
  Please refer to list of contents shown on next page.

- 分解図と部品表は, ブロックごとに分かれています。
  機種によってセクションが異なりますので, 詳細は次ページの一覧表を参照してください。

Section	Page
Note	3-2
Main Section	
MS-1	3-3
LCD	
L-1	3-4
Accessories	
A-1	3-5



Sony Confidential

• Double-click on the paper clip mark in the Spec column to open the specifications list.
• Spec欄のクリップマークをダブルクリックすると、スペック表が開きます。
• To open the specifications list, Microsoft office Excel or Excel viewer is required.
• スペック表を開くためには Microsoft Office Excel または Excel ビューワーが必要になります。

		Main Section	LCD	Accessories	Spec
US	EH11FX/B	MS-1	L-1	A-1	
	EH11FX/L	MS-1	L-1	A-1	
	EH11FX/P	MS-1	L-1	A-1	
	EH11FX/W	MS-1	L-1	A-1	
	EH13FX/B	MS-1	L-1	A-1	
	EH13FX/L	MS-1	L-1	A-1	
	EH13FX/P	MS-1	L-1	A-1	
	EH13FX/W	MS-1	L-1	A-1	
	EH15FX/B	MS-1	L-1	A-1	
	EH15FX/L	MS-1	L-1	A-1	
	EH15FX/P	MS-1	L-1	A-1	
	EH15FX/W	MS-1	L-1	A-1	
	EH14FM/B	MS-1	L-1	A-1	
	EH14FM/L	MS-1	L-1	A-1	
	EH14FM/P	MS-1	L-1	A-1	
	EH14FM/W	MS-1	L-1	A-1	
	EH16FX/B	MS-1	L-1	A-1	
	EH16FX/L	MS-1	L-1	A-1	
	EH16FX/P	MS-1	L-1	A-1	
	EH16FX/W	MS-1	L-1	A-1	
	EH17FX/B	MS-1	L-1	A-1	
	EH17FX/L	MS-1	L-1	A-1	
	EH17FX/P	MS-1	L-1	A-1	
	EH17FX/W	MS-1	L-1	A-1	
	EH18GM/B	MS-1	L-1	A-1	
	EH12FX/B	MS-1	L-1	A-1	
	EH12FX/L	MS-1	L-1	A-1	
	EH12FX/P	MS-1	L-1	A-1	
	EH12FX/W	MS-1	L-1	A-1	
	EH1AFX/B	MS-1	L-1	A-1	
	EH190X*	MS-1	L-1	A-1	

		Main Section	LCD	Accessories	Spec
PA	EH17FD/B	MS-1	L-1	A-1	
	EH17FD/L	MS-1	L-1	A-1	
	EH17FD/P	MS-1	L-1	A-1	
	EH17FD/W	MS-1	L-1	A-1	
	EH15FD/B	MS-1	L-1	A-1	
	EH15FD/L	MS-1	L-1	A-1	
	EH15FD/P	MS-1	L-1	A-1	
	EH15FD/W	MS-1	L-1	A-1	
	EH13FD/B	MS-1	L-1	A-1	
	EH13FD/W	MS-1	L-1	A-1	
	EH10EB/W	MS-1	L-1	A-1	

		Main Section	LCD	Accessories	Spec
EU	EH1S1E/B	MS-1	L-1	A-1	
	EH1S1E/L	MS-1	L-1	A-1	
	EH1S1E/W	MS-1	L-1	A-1	
	EH1M8E/B	MS-1	L-1	A-1	
	EH1M8E/L	MS-1	L-1	A-1	
	EH1M8E/W	MS-1	L-1	A-1	
	EH1M1E/B	MS-1	L-1	A-1	
	EH1M1E/L	MS-1	L-1	A-1	
	EH1M1E/W	MS-1	L-1	A-1	
	EH1L0E/B	MS-1	L-1	A-1	
	EH1L0E/L	MS-1	L-1	A-1	
	EH1L0E/W	MS-1	L-1	A-1	
	EH1S1R/B	MS-1	L-1	A-1	
	EH1S1R/W	MS-1	L-1	A-1	
	EH1M1R/B	MS-1	L-1	A-1	
	EH1M1R/W	MS-1	L-1	A-1	
	EH1L1R/B	MS-1	L-1	A-1	
	EH1L1R/L	MS-1	L-1	A-1	
	EH1L1R/W	MS-1	L-1	A-1	
	EH1M9E/B	MS-1	L-1	A-1	
	EH1L9E/B	MS-1	L-1	A-1	
	EH1M9R/B	MS-1	L-1	A-1	
	EH1J1E/B	MS-1	L-1	A-1	
	EH1J1E/L	MS-1	L-1	A-1	
	EH1J1E/W	MS-1	L-1	A-1	
	EH1E1R/B	MS-1	L-1	A-1	
	EH1E1R/W	MS-1	L-1	A-1	
	EH1E1E/B	MS-1	L-1	A-1	
	EH1E1E/L	MS-1	L-1	A-1	
	EH1E1E/W	MS-1	L-1	A-1	
	EH1S9E/B	MS-1	L-1	A-1	
	EH1Z1R/B	MS-1	L-1	A-1	
	EH1Z8E/B	MS-1	L-1	A-1	
	EH1Z8E/L	MS-1	L-1	A-1	
	EH1M0E/L	MS-1	L-1	A-1	
	EH1L8E/B	MS-1	L-1	A-1	
	EH1L8E/P	MS-1	L-1	A-1	
	EH1L8E/W	MS-1	L-1	A-1	
	EH1J8E/B	MS-1	L-1	A-1	
	EH1J8E/W	MS-1	L-1	A-1	
	EH1Z1E/B	MS-1	L-1	A-1	
	EH1Z1E/L	MS-1	L-1	A-1	
	EH1S8E/B	MS-1	L-1	A-1	
	EH1S8E/W	MS-1	L-1	A-1	
	EH1S0E/B	MS-1	L-1	A-1	
	EH1S0E/L	MS-1	L-1	A-1	
	EH1S0E/W	MS-1	L-1	A-1	
	EH1C5E*	MS-1	L-1	A-1	

		Main Section	LCD	Accessories	Spec
AP	EH18FG/P	MS-1	L-1	A-1	
	EH18FG/B	MS-1	L-1	A-1	
	EH18FG/L	MS-1	L-1	A-1	
	EH18FG/W	MS-1	L-1	A-1	
	EH18FH/B	MS-1	L-1	A-1	
	EH18FH/P	MS-1	L-1	A-1	
	EH18FH/W	MS-1	L-1	A-1	
	EH18FF/B	MS-1	L-1	A-1	
	EH18FK/B	MS-1	L-1	A-1	
	EH18FK/P	MS-1	L-1	A-1	
	EH18FK/W	MS-1	L-1	A-1	
	EH18FA/B	MS-1	L-1	A-1	
	EH18FA/W	MS-1	L-1	A-1	
	EH18FW/B	MS-1	L-1	A-1	
	EH18FW/P	MS-1	L-1	A-1	
	EH18FW/W	MS-1	L-1	A-1	
	EH17FG/B	MS-1	L-1	A-1	
	EH17FG/L	MS-1	L-1	A-1	
	EH17FG/P	MS-1	L-1	A-1	
	EH17FG/W	MS-1	L-1	A-1	
	EH17FK/W	MS-1	L-1	A-1	
	EH16EN/B	MS-1	L-1	A-1	
	EH16EN/W	MS-1	L-1	A-1	
	EH16EG/B	MS-1	L-1	A-1	
	EH16EG/P	MS-1	L-1	A-1	
	EH16EG/W	MS-1	L-1	A-1	
	EH16EH/B	MS-1	L-1	A-1	
	EH16EH/W	MS-1	L-1	A-1	
	EH16EF/B	MS-1	L-1	A-1	
	EH16EA/B	MS-1	L-1	A-1	
	EH16EA/P	MS-1	L-1	A-1	
	EH16EA/W	MS-1	L-1	A-1	
	EH15EN/B	MS-1	L-1	A-1	
	EH15EN/W	MS-1	L-1	A-1	
	EH15EG/B	MS-1	L-1	A-1	
	EH15EG/W	MS-1	L-1	A-1	

*: CTO Model

Sony Confidential

Note

- Parts List is attached on the upper right portion of each EXPLODED VIEW.
- Items marked " * " are not stocked since they are seldom required for routine service. Some delay should be anticipated when ordering these items.
- The parts marked " $ " are the Reuse Parts.
- The parts marked with "&" indicates specific parts handling for Japan region. Disregard "&" marking for other than Japan region.
- Color after discription in [ ] shows color variation name of the main body.
- The model that is accompanied asterisk (*) is the CTO model.
- Description of [***MBx2], [***MB], [***GBx2], [***GB]…indicates the following.
  MB/GB: size of the part
  x2: installed quantity at original production
- Be sure to use the parts marked with ●x/□x together with the parts with the same number.
- When replacing the HDD of RAID setting, please exchange to the same HDD that was installed.

Basically, the parts marked "●" should be used for service.
The parts marked "□" in the parts list are substitution parts.
If the part marked "●" is not available, you can order the parts marked "□", but it may not be stocked.

The components identified by mark ! or dotted line with mark ! are critical for safety. Replace only with part number specified.	Les composants identifiés par une marque ! sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié.

The components identified by mark 🔒 contain confidential information.
Strictly follow the instructions whenever the components are repaired and/or replaced.

- 部品表は，各分解図の右上部に添付されています。
- * 印の部品は常備在庫しておりません。
- 部品名称の前に$印のついた部品は，Reuse Partsです。
- 部品名称の前に&印のついた部品は，お客様でも交換可能なCustomer Replacable Parts (CRP)であり，販売可能です。
  特に<&>印のついた部品は，使い分けが必要な部品ですので，必ず分解図で対象部品をご確認ください。
- 部品名称の後に[ ]で色が示されている場合，Bodyのカラーバリエーション名称を表わしています。
- 機種名に(*)がつくものはCTOモデルです。
- 部品名の[***MBx2]，[***MB]，[***GBx2]，[***GB] 等々は以下を表わしています。
  MB/GB: この部品の容量
  x2: 出荷時に搭載されている員数
- ●x/□xになっている部品は，同じ数字どうしで必ず一緒に使用してください。
- RAID設定のHDDを交換する際は，搭載されていたHDDと同じものに交換してください。

部品表中"□"のついた部品は，代替部品です。基本は●印の部品を使用してください。
●印の部品が無い場合は，□印の部品をオーダーすることも可能ですが，在庫されていない場合があります。

！印の部品，または！印付きの点線で囲まれた部品は,安全性を維持するために重要な部品です。従って交換時は，必ず指定の部品を使用してください。

🔒印の部品には，秘密情報が含まれています。修理の際は，指示に従った対応を行なってください。

- If there is the Remarks column in the parts list,
  the features of applicable models are indicated in it
  for the parts that are different depending on each model.
  For the abbreviations used in the remarks column, please refer to the <table 1>.
- 部品表にRemarks欄がある場合，使い分けが生じる部品について，判別の目安となる対応モデルの特徴を示しています。
  記述の省略方法については<table 1>を参照ください。

<table 1>

Full-Name	Short-Name
Bluetooth	BT
Felica	Felica
Wireless WAN	WAN
Wireless LAN	WLAN
1seg Tuner	1seg
Finger Print Sensor	FP
Security Chip	TPM
Flash Memory	SSD
Camera	Camera
Touchscreen Panel	Touchscreen
Transfer Jet	T-Jet

- If "No-" is described on the left side of the Short-Name, it means 'not equipped'.
  Example: "No-BT" "No-Felica" etc.
- When several descriptions are listed, each description is separated with ", (comma)" or " or". "Comma" means plus.
  Example.1: The parts for the model equipped with BT and Felica and WLAN → BT, Felica, WLAN
  Example.2: The parts for the model equipped with BT or Felica → BT or Felica
- If the color is in the remarks column, it indicates the color of parts itself.

- 「無し」を表現する場合には，Short-Nameの左に「No-」とつけます。
  例)「No-BT」「No-Felica」など
- 注記を複数記載する際には「,(カンマ)」又は「or」で区切ります。「,(カンマ)」はプラスという意味として使います。
  例1) BTとFelicaとWLANが搭載されたモデルにつく部品 → BT, Felica, WLAN
  例2) BT搭載モデル又はFelica搭載モデルにつく部品 → BT or Felica
- 色表記の場合，該当の部品自体の色を示します。

Sony Confidential

MS-1. Main Section

Parts List

- Double-click on the paper clip mark to open the parts list.
- クリップマークをダブルクリックすると、部品表が開きます。
- To open the parts list, Microsoft office Excel or Excel viewer is required.
- 部品表を開くためには Microsoft Office Excel または Excel ビューワーが必要になります。

❖1) When change the CPU (Ref. No. 4), refer to " Replacing the CPU " in CHAPTER 4.

❖1) CPU (Ref. No. 4) を交換する際には, CHAPTER 4 の「Replacing the CPU」をご参照ください。

❖2) When heat sink is removed from CPU, clean off the thermal grease and put the Ref. No. 31.

❖2) ヒートシンクをCPUから外した際は, グリスを拭取り, Ref. No. 31 を塗布してください。

❖3) When replacing the WiMAX board (Ref. 5), be sure to refer to “4-2. Note for WAN Board Replacement”.

❖3) WiMAX基板（Ref. 5）を交換する際には, 必ず「4-2. WiMAX 基板交換時の注意」を参照してください。



Sony Confidential

L-1. LCD

Parts List

- Double-click on the paper clip mark to open the parts list.
- クリップマークをダブルクリックすると、部品表が開きます。
- To open the parts list, Microsoft office Excel or Excel viewer is required.
- 部品表を開くためには Microsoft Office Excel または Excel ビューワーが必要になります。



Sony Confidential

A-1. Accessories

Parts List

- Double-click on the paper clip mark to open the parts list.
- クリップマークをダブルクリックすると、部品表が開きます。
- To open the parts list, Microsoft office Excel or Excel viewer is required.
- 部品表を開くためには Microsoft Office Excel または Excel ビューワーが必要になります。

2001
AC Adaptor



2002
Battery (VGP-BPS26)



2003
Battery (VGP-BPL26)



2004
Power Cord Set



2005
Power Cord Set



2006
Power Cord Set



2007
Power Cord



2008
Power Supply Cord Set



2009
AC Power Cord



2010
Power Cord Set



2011
Power Cord



2012
Power-Supply Cord Set



2013
Power-Supply Cord



2014
Power-Supply Cord



2015
Power-Supply Cord



Sony Confidential

4-1. Replacing the CPU

1. How to remove the CPU

① Rotate the lock with a flat-blade screwdriver toward the unlock position shown in the figure.
② Remove up the CPU.



2. How to install the CPU

① Position the mark on the CPU to the mark on the CPU socket and put in all pins to the holes on the CPU socket.
② Pressing two corners marked with ○ in the figure, rotate the lock with a flat-blade screwdriver toward the lock position.



Note: Lock the CPU properly, or operation becomes unstable.

Sony Confidential

4-2. Note for WiMAX Board Replacement
4-2. WiMAX基板交換時の注意

When replacing the WiMAX Board (Ref. 5 A-1835-561-A) change the barcode label on the bottom.
WiMAX基板 (Ref. 5 A−1835−561−A)を交換した際には、ボトムのバーコードラベルの貼り替え作業を行ってください。

① Peel off the barcode label which is attached to the bottom. (Refer to the figure below.)
① ボトムに貼られているバーコードラベルをはがします。（下図参照）



② Attach the barcode label which is included with the WiMAX Board to the position where you peeled off the label in the step ①.
② WiMAX 基板に同梱されているバーコードラベルを①ではがした位置に貼ってください。

This manual and the constituent data may not be replicated, copied nor reprinted in whole or in part without prior written authorization of Sony Corporation.

本マニュアルの一部，または全部について，無断でデータの複製，複写，転載することを禁じます。

English / Japanese
2011E2700-1
© 2011 Sony Corporation
Published by Sony Corporation VAIO & Mobile Business Group CS & Quality Div. VAIO Global CS Dept.

Sony Corporation

9-890-843-01

Revision History

Suffix	Ver.	Date	Contents	QM No.
-01	Ver. 1	2011.05.25	First Edition	-
<Remarks>				

[Sony Confidential]